

Material Safety Data Sheet

NFPA	HMIS	WHMIS	TDG	DOT
Flammability Health 1 0 Instability Special	Health 1 Flammability 0 Physical hazards 0 Suggested PPE E	(.		

1 . Produc	t and Company Identification		
Product name	MAN-GRO DF + Boron		
Synonym	Manganese Sulfate (Monohydrate) with Boric Acid	MSDS prepared by the 2/7/20° Environment, Health & Safety Department on:	12.
Material uses	Fertilizer.	Version 1	
		In Case of Emergency	
MSDS Number	50420	Transportation: 1-800-792-831 Medical: 1-888-615-0015	1
Manufacturer	Agrium Advanced Technologies Fairbury Micronutrients 71025 569th Avenue Fairbury, Nebraska	For more information on Agrium AT or our product please go to: http://www.agriumat.com or contact us at Toll-Free:800-461-6471	its,

Hazards Identification Physical state Solid.

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200).

Routes of entry Inhalation.

Ingestion. Dermal

Odorless.

Potential acute health effects

Odor

Inhalation May irritate the respiratory tract if inhaled.

Ingestion May be harmful if swallowed. Skin May cause skin irritation.

Eyes Slightly irritating to the eyes.

Potential chronic health effects

Chronic effects Contains material that may cause target organ damage, based on animal data.

Carcinogenicity No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. **Teratogenicity** No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. **Fertility effects** No known significant effects or critical hazards.

Page: 1/18

2. Hazards Identification

Target organsContains material which may cause damage to the following organs: blood, kidneys,

upper respiratory tract, central nervous system (CNS).

Over-exposure signs/symptoms

Inhalation No specific data.

Ingestion No specific data.

Skin Adverse symptoms may include the following:

irritation redness

Eyes Adverse symptoms may include the following:

irritation watering redness

Medical conditions

aggravated by over-

Pre-existing disorders involving any target organs mentioned in this MSDS as being

at risk may be aggravated by over-exposure to this product.

exposure

See toxicological information (Section 11)

3. Composition / Information on Ingredients

United States

 Name
 CAS number
 %

 Manganese, monosulfate, monohydrate
 10034-96-5
 60 - 75

 Boric acid
 10043-35-3
 10 - 30

Canada

 Name
 CAS number
 %

 Manganese, monosulfate, monohydrate
 10034-96-5
 60 - 75

 Boric acid
 10043-35-3
 10 - 30

Mexico Classification

Name CAS number UN number % **IDLH** Н F R Special 0 0 10043-35-3 10 - 30 1 Boric acid Not available. 10034-96-5 60 - 750 Manganese, monosulfate, Not 500 mg/m³ available. monohydrate

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First Aid Measures

Eye contact Check for and remove any contact lenses. Immediately flush eyes with plenty of water

for at least 15 minutes, ocassionally lifting the upper and lower eyelids. Seek medical attention if irritation or symptoms occur. Seek additional medical adice if symptoms or

conditions persist.

Skin contact In case of contact, flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Seek medical advice if irritation or symptoms persist.

First Aid Measures 4 .

Inhalation If inhalation occurs, remove individual(s) to fresh air. Loosen restrictive clothing items if

> necessary. If individual has irregular or difficulty breathing or is under respiratory arrest seek medical attention immediately. If other conditions or symptoms develop contact a

physician.

Ingestion If ingestion occurs, rinse mouth with copious amounts of water. Do Not induce vomiting

unless directed to do so by trained medical personnel. Do Not give anything by mouth to

unconcious individuals. Seek immediate medical attention.

Protection of first-

aiders

No action shall be taken involving any personal risk or without suitable training. It may

be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Notes to physician No specific treatment. Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

5. **Fire-fighting Measures**

Flammability of the

product

No specific fire or explosion hazard.

Extinguishing media

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable None known.

Special exposure

hazards

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Hazardous thermal

decomposition products

Decomposition products may include the following materials:

sulfur oxides

metal oxide/oxides

Special protective equipment for fire-

fighters

Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Special remarks on fire

hazards

No additional remark.

Special remarks on explosion hazards

No additional remark.

Accidental Release Measures 6.

Personal precautions No action shall be taken involving any personal risk or without suitable training.

> Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

personal protective equipment (see Section 8).

Environmental precautions

Avoid dispersal of spilled material and runoff into waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers or waterways).

Methods for cleaning up

Move containers from spill area. Vacuum or sweep up material and place in a Small spill

designated, labeled waste container. Dispose of via a licensed waste disposal

contractor.

6. Accidental Release Measures

Large spill

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and Storage

Handling

Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children.

8. Exposure Controls / Personal Protection

United States

Ingredient	Exposure limits
Manganese, monosulfate, monohydrate	ACGIH TLV (United States, 2/2010). TWA: 0.2 mg/m³, (as Mn) 8 hour(s). OSHA PEL (United States, 6/2010). CEIL: 5 mg/m³, (as Mn)
Boric acid	ACGIH TLV (United States, 2/2010). TWA: 2 mg/m³ 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. STEL: 6 mg/m³ 15 minute(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.

Canada

Occupational exposure limits		TWA (8 hours)		STEL (15 mins)		Ceiling					
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
Manganese, monosulfate, monohydrate, as Mn	US ACGIH 2/2010	-	-	0.2	-	-	-	-	-	-	
	AB 4/2009	-	-	0.2	-	-	-	-	-	-	
	BC 9/2010	-	-	0.2	-	-	-	-	-	-	
	ON 7/2010	-	-	0.2	-	-	-	-	-	-	
	QC 6/2008	-	-	5	-	-	-	-	-	-	[a]
Boric acid	US ACGIH 2/2010	-	-	2	-	6	-	-	-	-	[b]
	BC 9/2010	-	-	2	-	6	-	-	-	-	[c]
	ON 7/2010	-	-	2	-	6	-	-	-	-	[b]

Form: [a]Total dust. [b]Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. [c]Inhalable

Mexico

MOXIOO		
Ingredient	Exposure limits	

8. Exposure Controls / Personal Protection

Manganese, monosulfate, monohydrate

Boric acid

NOM-010-STPS (Mexico, 9/2000).

LMPE-PPT: 0.2 mg/m³, (as Mn) 8 hour(s).

ACGIH TLV (United States, 2/2010).

TWA: 2 mg/m³ 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.

STEL: 6 mg/m³ 15 minute(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts.

Skin

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Personal protective equipment (Pictograms)







Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and Chemical Properties

Physical state Solid.

Flash point Non-flammable.

Color White. [Light]

Odor Odorless.

Molecular weight 169.02 g/mol

Boiling/condensation

point

~ 850 C

Melting/freezing point $\sim 700 \text{ C}$ Relative density2.95 g/cm3VOC0 % (w/w)

Solubility Soluble in cold water, hot water

10 . Stability and Reactivity

Chemical stability The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid No specific data.

Materials to avoid No specific data.

Hazardous Decomposition r

decomposition products

Decomposition products may include the following materials: sulfur oxides

metal oxide/oxides

Conditions of reactivity Incompatible with: STRONG ACIDS

No additional remarks.

11. Toxicological Information

United States

Acute toxicity

Product/ingredient name Result Species Dose Exposure

Manganese, monosulfate, monohydrate TDLo Rat 4.5 mg/kg

Intravenous

Conclusion/Summary Potentially harmful to humans and animals.

Chronic toxicity

Product/ingredient name Result Species Dose Exposure

Manganese, monosulfate, monohydrate

Conclusion/Summary Potentially may cause manganese poisoning over an extended period of use without

proper personal protective equipment.

Irritation/Corrosion

Product/ingredient name Result Species Score Exposure Observation

Page: 6/18

11. Toxicological Information

Boric acid Skin - Mild irritant Human - - -

Conclusion/Summary Not available.

Skin Possible skin irritant

Eyes Slightly irritating to the eyes.

Respiratory Possible respiratory irritant.

Sensitizer

Product/ingredient name Route of Species Result

exposure

None identified.

Conclusion/Summary Not available.

Skin Not considered a sensitizer

Respiratory Not considered a sensitizer

Carcinogenicity

Product/ingredient name Result Species Dose Exposure

Manganese, monosulfate, monohydrate

Conclusion/Summary Not classified as carcinogenic, teratogenic and mutagenic

Classification

Product/ingredient name ACGIH IARC EPA NIOSH NTP OSHA

Boric acid A4 - -

Mutagenicity

Product/ingredient name Test Experiment Result

Manganese, monosulfate, monohydrate

Conclusion/Summary Not classified as carcinogenic, teratogenic and mutagenic

Teratogenicity

Product/ingredient name Result Species Dose Exposure

Manganese, monosulfate, monohydrate

Conclusion/Summary Not classified as carcinogenic, teratogenic and mutagenic

Reproductive toxicity

Product/ingredient name Maternal Fertility Development Species Dose Exposure

toxicity toxin

None identified.

Conclusion/Summary Not considered to be toxic to the reproductive system.

<u>Canada</u>

Acute toxicity

Product/ingredient name Result Species Dose Exposure

Manganese, monosulfate, monohydrate TDLo Rat 4.5 mg/kg -

Intravenous

Conclusion/Summary Potentially harmful to humans and animals.

Chronic toxicity

Conclusion/Summary Potentially may cause manganese poisoning over an extended period of use without

proper personal protective equipment.

Chronic toxicity

MAN-GRO DF + Boron Toxicological Information **Irritation/Corrosion** Score Exposure Observation Product/ingredient name Result **Species** Skin - Mild irritant Boric acid Human Conclusion/Summary Not available. Skin Possible skin irritant **Eyes** Slightly irritating to the eyes. Respiratory Possible respiratory irritant. **Sensitizer** Product/ingredient name Route of **Species** Result exposure None identified. Conclusion/Summary Not available. Skin Not considered a sensitizer Not considered a sensitizer Respiratory **Carcinogenicity** Product/ingredient name Result **Species Dose Exposure** Manganese, monosulfate, monohydrate Conclusion/Summary Not classified as carcinogenic, teratogenic and mutagenic **Classification NIOSH ACGIH OSHA** Product/ingredient name **IARC EPA NTP** Boric acid A4 **Mutagenicity** Product/ingredient name Test **Experiment** Result Manganese, monosulfate, monohydrate Conclusion/Summary Not classified as carcinogenic, teratogenic and mutagenic **Teratogenicity** Result **Species Exposure** Product/ingredient name Dose Manganese, monosulfate, monohydrate Conclusion/Summary Not classified as carcinogenic, teratogenic and mutagenic Reproductive toxicity Product/ingredient name Maternal **Fertility Development Species** Dose **Exposure** toxicity toxin None identified. Conclusion/Summary Not considered to be toxic to the reproductive system. **Mexico Acute toxicity** Product/ingredient name **Dose** Result **Species Exposure** Manganese, monosulfate, monohydrate **TDLo** Rat 4.5 mg/kg Intravenous Potentially harmful to humans and animals. Conclusion/Summary

Page: 8/18

11 . Toxicological Information
Product/ingredient name Result

esult Species Dose

Exposure

Manganese, monosulfate, monohydrate

Conclusion/Summary Potentially may cause manganese poisoning over an extended period of use without

proper personal protective equipment.

Irritation/Corrosion

Product/ingredient name Result Score Score Exposure Observation

Boric acid Skin - Mild irritant Human - -

Conclusion/Summary Not available.

Skin Possible skin irritant

Eyes Slightly irritating to the eyes.

Respiratory Possible respiratory irritant.

<u>Sensitizer</u>

Product/ingredient name Route of Species Result

exposure

None identified.

Conclusion/Summary Not available.

Skin Not considered a sensitizer

Respiratory Not considered a sensitizer

Carcinogenicity

Product/ingredient name Result Species Dose Exposure

Manganese, monosulfate, monohydrate

Conclusion/Summary Not classified as carcinogenic, teratogenic and mutagenic

Classification

Product/ingredient name ACGIH IARC EPA NIOSH NTP OSHA

Boric acid A4 - - - - - -

Mutagenicity

Product/ingredient name Test Experiment Result

Manganese, monosulfate, monohydrate

Conclusion/Summary Not classified as carcinogenic, teratogenic and mutagenic

Teratogenicity

Product/ingredient name Result Species Dose Exposure

Manganese, monosulfate, monohydrate

Conclusion/Summary Not classified as carcinogenic, teratogenic and mutagenic

Reproductive toxicity

Product/ingredient name Maternal Fertility Development Species Dose Exposure

toxicity toxin

None identified.

Conclusion/Summary Not considered to be toxic to the reproductive system.

Page: 9/18

12 . Ecological Information

Environmental effects No known significant effects or critical hazards.

United States

Aquatic ecotoxicity

Aquatic ecotoxicity				
Product/ingredient name Boric acid	Test -	Result Acute EC50 777 ppm Fresh water		Exposure 48 hours
	-	Acute EC50 226 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute EC50 133 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute LC50 137.99 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 92.83 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 89.07 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 84.28 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 50 to 100 ppm Fresh water	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss	96 hours
	-	Acute LC50 447000 ug/L Fresh water	Fish - Coho salmon,silver salmon - Oncorhynchus kisutch - Fry - 0.5 g	96 hours
=				D 40/

Page: 10/18

12 . Ecological Inf	formation			
	-	Acute LC50 280000 ug/L Fresh water	Fish - Bonytail - Gila elegans - Swim-up - 11 to 18 days	96 hours
	-	Acute LC50 279000 ug/L Fresh water	Fish - Colorado squawfish - Ptychocheilus lucius - Swim-up - 17 to 31 days	96 hours
	-	Acute LC50 233000 ug/L Fresh water	Fish - Razorback sucker - Xyrauchen texanus - Swim- up - 10 to 17 days	96 hours
	-	Acute LC50 226000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute LC50 133000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate	48 hours
	-	Acute LC50 125000 ug/L Fresh water	Fish - Flannelmouth sucker - Catostomus latipinnis - Larvae - 12 to 13 days	96 hours
	-	Acute LC50 >100000 ug/L Fresh water	Fish - Colorado squawfish - Ptychocheilus lucius - Juvenile (Fledgling, Hatchling, Weanling) - 99 to 115 days - 0.4 to 1.1 g	96 hours
Conclusion/Summary	Very low toxicity to humans	s or animals.		
Canada				
Aquatic ecotoxicity				
Product/ingredient name	Test	Result	Species	Exposure
Boric acid	-	Acute EC50 777 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute EC50 226 ppm Fresh water	magna - <24 hours	
	-	Acute EC50 133 ppm Fresh water	magna - <24 hours	
	-	Acute LC50 137.99 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis	48 hours

Page: 11/18

12 . Ecological Information			
		(Fledgling, Hatchling, Weanling) - <24 hours	
-	Acute LC50 92.83 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
-	Acute LC50 89.07 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
-	Acute LC50 84.28 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
-	Acute LC50 50 to 100 ppm Fresh water	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss	96 hours
-	Acute LC50 447000 ug/L Fresh water	Fish - Coho salmon,silver salmon - Oncorhynchus kisutch - Fry - 0.5 g	96 hours
-	Acute LC50 280000 ug/L Fresh water	Fish - Bonytail - Gila elegans - Swim-up - 11 to 18 days	96 hours
<u>-</u>	Acute LC50 279000 ug/L Fresh water	Fish - Colorado squawfish - Ptychocheilus lucius - Swim-up - 17 to 31 days	96 hours
_	Acute LC50 233000 ug/L Fresh water	Fish - Razorback sucker - Xyrauchen texanus - Swim- up - 10 to 17 days	96 hours
-	Acute LC50 226000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	
-	Acute LC50 133000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate	
-	Acute LC50	Fish -	96 hours

Page: 12/18

12 . Ecological Ir	nformation			
:		125000 ug/L Fresh water	Flannelmouth sucker - Catostomus latipinnis - Larvae - 12 to 13 days	
	-	Acute LC50 >100000 ug/L Fresh water	Fish - Colorado squawfish - Ptychocheilus lucius - Juvenile (Fledgling, Hatchling, Weanling) - 99 to 115 days - 0.4 to 1.1 g	96 hours
onclusion/Summary	Very low toxicity to humans	or animals.		
Mexico				
Aquatic ecotoxicity Product/ingredient name	Test	Result	Species	Evnosuro
Boric acid	- -	Acute EC50 777 ppm Fresh water		Exposure 48 hours
	-	Acute EC50 226 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute EC50 133 ppm Fresh water		48 hours
	-	Acute LC50 137.99 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 92.83 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 89.07 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 84.28 mg/L	Crustaceans - Opossum shrimp	48 hours

Page: 13/18

12 . Ecological Inform	ation			
			bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	
	-	Acute LC50 50 to 100 ppm Fresh water		96 hours
	-	Acute LC50 447000 ug/L Fresh water	Fish - Coho salmon,silver salmon - Oncorhynchus kisutch - Fry - 0.5 g	96 hours
	-	Acute LC50 280000 ug/L Fresh water	Fish - Bonytail - Gila elegans - Swim-up - 11 to 18 days	96 hours
	-	Acute LC50 279000 ug/L Fresh water	Fish - Colorado squawfish - Ptychocheilus lucius - Swim-up - 17 to 31 days	96 hours
	-	Acute LC50 233000 ug/L Fresh water	Fish - Razorback sucker - Xyrauchen texanus - Swim- up - 10 to 17 days	96 hours
	-	Acute LC50 226000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute LC50 133000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate	48 hours
	-	Acute LC50 125000 ug/L Fresh water	Fish - Flannelmouth sucker - Catostomus latipinnis - Larvae - 12 to 13 days	96 hours
	-	Acute LC50 >100000 ug/L Fresh water	Fish - Colorado squawfish - Ptychocheilus lucius - Juvenile (Fledgling, Hatchling, Weanling) - 99 to 115 days - 0.4 to 1.1 g	96 hours
Conclusion/Summary Very lov	v toxicity to humans or	animals.		

13. Disposal Considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14 . Transport Information						
Regulatory information	UN number	Shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-
			l P(∣ 3* : Packiı	 ng group	

15. Regulatory Information

United States

HCS Classification Target organ effects

U.S. Federal regulations TSCA 8(a) IUR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Boric acid

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Boric acid: Immediate (acute) health hazard, Delayed (chronic) health hazard

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Listed

Clean Air Act Section 602

Not listed

Class I Substances

15. Regulatory Information

Clean Air Act Section 602

Not listed

Class II Substances

DEA List I Chemicals (Precursor Chemicals)

Not listed

DEA List II Chemicals (Essential Chemicals)

Not listed

State regulations

Connecticut Carcinogen Reporting: None of the components are listed.

Connecticut Hazardous Material Survey: None of the components are listed.

Florida substances: None of the components are listed.

Illinois Chemical Safety Act: None of the components are listed.

Illinois Toxic Substances Disclosure to Employee Act: None of the components

are listed.

Louisiana Reporting: None of the components are listed.
Louisiana Spill: None of the components are listed.
Massachusetts Spill: None of the components are listed.

Massachusetts Substances: None of the components are listed. **Michigan Critical Material**: None of the components are listed.

Minnesota Hazardous Substances: None of the components are listed.

New Jersey Hazardous Substances: The following components are listed:

MANGANESE compounds, n.o.s.

New Jersey Spill: None of the components are listed.

New York Acutely Hazardous Substances: None of the components are listed.

New York Toxic Chemical Release Reporting: None of the components are listed.

Pennsylvania RTK Hazardous Substances: The following components are listed:

MANGANESE COMPOUNDS

Rhode Island Hazardous Substances: None of the components are listed.

United States inventory

(TSCA 8b)

All components are listed or exempted.

Canada

WHMIS (Canada) Class D-2A: Material causing other toxic effects (Very toxic).

Class D-2B: Material causing other toxic effects (Toxic).

Canadian lists CEPA Toxic substances: None of the components are listed.


Canadian ARET: None of the components are listed.
Canadian NPRI: The following components are listed: Manganese
Alberta Designated Substances: None of the components are listed.
Ontario Designated Substances: None of the components are listed.
Quebec Designated Substances: None of the components are listed.

Canada inventory All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Mexico

Classification



EU regulations

Regulatory Information

Hazard symbol or symbols



Risk phrases

R48/20/22- Also harmful: danger of serious damage to health by prolonged exposure

through inhalation and if swallowed.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Safety phrases

S53- Avoid exposure - obtain special instructions before use.

S2- Keep out of the reach of children.

S29- Do not empty into drains.

S46- If swallowed, seek medical advice immediately and show this container or label. S61- Avoid release to the environment. Refer to special instructions/safety data sheet.

International regulations

International lists Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Japan inventory: All components are listed or exempted. **Korea inventory**: All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or

exempted.

Philippines inventory (PICCS): All components are listed or exempted.

Chemical Weapons Convention List Schedule I Chemicals Not listed

Chemical Weapons Convention List Schedule II Chemicals

Not listed

Chemical Weapons Convention List

Not listed


Schedule III Chemicals

16. Other information

Label requirements

MAY CAUSE EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material. Suggested protective clothing might not be adequate. Consult a specialist before handling this product.

National Fire Protection Association (U.S.A.)

16. Other information

Health 1 0 Instability
Special

Other special

No additional remarks.

considerations

Date of issue 2/7/2012.

Version 1

Indicates information that has changed from previously issued version.

Notice to Reader:

The buyer assumes all risk in connection with the use of this material. The buyer assumes all responsibility for ensuring this material is used in a safe manner in compliance with applicable environmental, health and safety laws, policies and guidelines. Agrium Inc. assumes no responsibility or liability for the information supplied on this sheet, including any damages or injury caused thereby. Agrium Inc. does not warrant the fitness of this material for any particular use and assumes no responsibility for injury or damage caused directly or indirectly by or related to the use of the material. The information contained in this sheet is developed from what Agrium Inc. believes to be accurate and reliable sources, and is based on the opinions and facts available on the date of preparation.

Page: 18/18